



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/084,578	02/27/2002	James L. DiGuiseppe	9250-29	6023
7590 bioMerieux, Inc. Patent Department 100 Rodolphe Street Durham, NC 27712	08/25/2010		EXAMINER BEISNER, WILLIAM H	
			ART UNIT 1797	PAPER NUMBER
			MAIL DATE 08/25/2010	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.



UNITED STATES DEPARTMENT OF COMMERCE  
U.S. Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10084578	2/27/02	DIGUISESSI ET AL.	9250-29

EXAMINER

bioMerieux, Inc.  
Patent Department  
100 Rodolphe Street  
Durham, NC 27712

WILLIAM H.. BEISNER

ART UNIT	PAPER
----------	-------

1797                  20100824

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

**Commissioner for Patents**

In view of the papers filed 6/2/2003, it has been found that this nonprovisional application, as filed, through error and without deceptive intent, improperly set forth the inventorship, and accordingly, this application has been corrected in compliance with 37 CFR 1.48(a). The inventorship of this application has been changed by adding "Scott Jeffrey" and "John Walsh" as additional inventors.

The application will be forwarded to the Office of Initial Patent Examination (OIPE) for issuance of a corrected filing receipt, and correction of Office records to reflect the inventorship as corrected.

Any inquiry concerning this communication should be directed to WILLIAM H. BEISNER at telephone number (571)272-1269.

/William H. Beisner/  
Primary Examiner, Art Unit 1797